



All-In-One Power Bank

1280 Watt Hours



ITEM	SPECIFICATION
P/N	AIO100A
Battery Nominal voltage	12.8 Vdc
Capacity	100Ah (1,280Wh)
Battery Type	Lithium Iron Phosphate (LiFePO4)
Input	DC 12V~15V
Vehicle Charging Max volts/current	14.6V / 30A (optional cable required)
Max Charging voltage/current	14.6V / 50A
Solar MPPT input, Maximum V/A	50Vdc / 25 A
AC Inverter, Pure Sine Wave	2,000 Watts (4,000 W surge) 110V / 60Hz 2 AC outlets
USB Outputs	Qty 2: Type-C Qty 2: Type-A
DC Outputs	DC 10 – 14.6V (Max 200A)
	Qty 2: 12V power sockets, (Cig) In/output
	Qty 2: DC Jack 5.50mm & 2.1mm
	Qty 1: XT 90 Connector
Options:	Remote switch for Inverter. Remote capacity display.
Cycle Life	3,000+ cycles >80% Depth of Discharge
Charging Temperature Range	0C to 45C (0F to 113F)
Discharge Temperature Range	-20C to 60C (-4F to 140F)
Dimensions	20"L X 7.5"W X 9.5"H
Weight	45 lbs



TAA COMPLIANT